

NC - 7500

UNICELL NC

series of endothermic blowing agents has been specially developed for giving uniform cell structures and best dispersion in rigid PVC foams, along with no interference in the colour of the product.

Endothermic blowing agent for PVC foams
Physical Form : Fine White Powder

PHYSIOCHEMICAL PROPERTIES

PROPERTY	UNIT	VALUE
Odour	- -	Almost odorless
pH Value	- -	9.0 ~ 11.0
*Moisture (105°C, 2hrs.)	% max	1.0
Decomposition Temperature	°C	135 ~ 150
Gas Evolution	cc/gm	110 ~ 120
Residue on 400 Mesh	% max	1.0
Packing	Kg/carton	25

* At the time of packing

Applications:

- PVC Foam Board
- NBR-PVC Blend Sheets
- Wood Plastic Composites

Doc. No.: ADC-21

Issue No.: 02

Issue Date: 17.11.2015

Replaces: All Previous Issues

This information and our technical advice-whether verbal, in writing or by way of trials are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sales and Delivery.

Correspondence Address :

111/230, Harsh Nagar
KANPUR - 208 012. (INDIA)
Ph. :0512-2555292
Website: www.mlagroup.com
Email: info@mlagroup.com

CERTIFICATIONS

